AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **B**

In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09: Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1744.2020 01.12.2020 Niviuk Gliders / Air Games S.L. Takoo 5 39 TAKOO5338

Configuration during flight tests

Para	alide	r							Accessories																
	190			R	Range of speed system (cm)										0										
Maximum weight in flight (kg) Minimum weight in flight (kg)									110			Speed range using brakes (km/h)										14			
Glider's weight (kg)								7.14				•	peed		Ũ		•	,	(km/h)	21				
Number of risers								4	1		R	ange	of tri	mme	rs (cr	n)			,		10.1				
Projected area (m2)								3	32.18			0			,	,									
Harness used for testing (max weight)												Inspections (whichever happens first)													
Harness type									ABS		every 100 hours of use or every 24 months														
Harne	ess b	rand							Adva	nce	Warning! Before use refer to user's manual														
Harness model									Bi pro	o 2	Person or company having presented the glider for testing: None														
Harne	Ę	55																							
Dista	ę	55																							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23			
В	Α	в	Α	0	0	Α	Α	в	в	Α	Α	в	В	Α	Α	Α	Α	Α	в	0	Α	0			

Sticker generated automatically by AIR TURQUOISE SA, valid without signature // RE | rev 04 | 26.09.2019 // ISO | 91.21 // Page 1 of 1

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **B**

In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09: Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1735.2020 30.11.-0001 Niviuk Gliders / Air Games S.L. Takoo 5 42 TAKOO5341

Configuration during flight tests

Para	glide	r									Accessories													
Maxir	220			R	Range of speed system (cm)										0									
Minimum weight in flight (kg)									120			Speed range using brakes (km/h)										14		
Glider's weight (kg)									7.5		Total speed range with accessories (km/h)										21			
Number of risers									1		R	Range of trimmers (cm)												
Projected area (m2)								3	34.72	2														
Harness used for testing (max weight)												Inspections (whichever happens first)												
Harness type									ABS		every 100 hours of use or every 24 months													
Harness brand									Adva	nce	Warning! Before use refer to user's manual													
Harness model									Bi pro	o 2	Person or company having presented the glider for testing: None													
Harne	Ę	55																						
Distance between risers (cm)									55															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
в	Α	в	Α	0	0	Α	Α	Α	В	Α	Α	В	В	Α	Α	Α	Α	Α	В	0	Α	0		

Sticker generated automatically by AIR TURQUOISE SA, valid without signature // RE | rev 04 | 26.09.2019 // ISO | 91.21 // Page 1 of 1

AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Classification: **B**

In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09: Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG_1745.2020 02.12.2020 Niviuk Gliders / Air Games S.L. Takoo 5 44 TAKOO5344

Configuration during flight tests

Parag	glide	r									Accessories													
Maxir	239			R	Range of speed system (cm)																			
Minimum weight in flight (kg)									140			Speed range using brakes (km/h)												
Glider's weight (kg)									8.06			Total speed range with accessories (km/h)										21		
Number of risers									1		R	ange	of tri	mme	rs (cn	n)					10.5			
Projected area (m2)								3	37.26															
Harness used for testing (max weight)										Inspections (whichever happens first)														
Harne		ABS		every 100 hours of use or every 24 months																				
Harne	ess b	rand							Adva	nce	Warning! Before use refer to user's manual													
Harness model									Bi pro	o 2	Person or company having presented the glider for testing: None													
Harne	Harness to risers distance (cm)										55													
Distance between risers (cm)									55															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
В	Α	в	Α	0	0	Α	Α	в	в	В	Α	в	В	Α	Α	Α	Α	0	Α	Α	Α	0		

Sticker generated automatically by AIR TURQUOISE SA, valid without signature // RE | rev 04 | 26.09.2019 // ISO | 91.21 // Page 1 of 1